殺虫・殺ダニ剤 ア ア ア ア ア ア ア ア ア ア ア ア ア ア ア ア ア カ	
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	
	, ¹
	<u> </u>
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	コ _ ン 4 ィ ぽ
┃	, ネ チ ク ン ト ン _I ⁷
役虫・殺ダニ剤 (水) (FL) (SG) (乳) (乳) (水) (乳) (水) (乳) (水) (剛) (乳) (水) (剛) (乳) (水) (剛) (乳) (水) (剛) (羽) (水) (剛) (羽) (水) (羽) (羽) (水) (羽) (羽) (羽) (羽) (羽) (羽) (羽) (羽) (羽) (羽	(SG) (FL) (乳) (FL) (SG) (FL) (水) (乳) [資
7 7 ½ ν (EL) 0 - 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	
P D </td <td></td>	
【ア グ リ メ ッ ク (乳)】	
	•
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$	
	0 0 0
アファームエクセラ (WG) ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ●	
アプロードエース (FL)	
エコマスターB T (DF) ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ●	
I I I I I I I I I I I I I I I I I I I	
	
コ ル ト (WG) ● ● ● ● ● ● ● ● ●	
	0 0 0 0
	• • A
スピノエース(WG) ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ●	
ス ミ チ オ ン (乳) • • • • • • • • •	• •
スミロディー(乳) ●	
ダ ニ ト ロ ン (FL) ●	
$lacksquare$ \mathcal{F}	
¬ ¬ ¬ ¬ ¬ ¬ ¬ ¬ ¬ ¬ ¬ ¬ ¬ ¬ ¬ ¬ ¬ ¬ ¬	
トランスフォーム (FL)	• • •
トルネードエース (DF) ● ● ● ● ● ● ● ● ● ● ●	
ト レ ボ ン (EW) ● ● ● ● ● ● ● ● ●	
	+ + + + + + + + + + + + + + + + + + + +
	+ + + + + + + + + + + + + + + + + + +
ファルコン(FL) ● ● ● ● ● ● ● ● ●	•
$egin{array}{c c c c c c c c c c c c c c c c c c c $	
プレ オ(FL)	
	
フローバック(DF) ● ● ● ● ●	
ベネビア O D (FL)	
マイトコーネ(FL)	- • • •
	• - • • • • • • • • • • • • • • • • • •
	
	- • •
	0 0 0 - 0 0
Ε Λ΄ Σ Ι (EL) Θ Θ Θ Θ Θ Θ Θ Θ Θ Θ Θ Θ Θ Θ Θ Θ Θ Θ Θ	0 0 0 - >

(注)混用に当たっては「混用事例集についての注意事項」と各薬剤のラベルをよく読んで使用する。